

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040183757"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L2	2	"6066922".pn. "6794666".pn.	USPAT	OR	OFF	2006/04/03 08:35
L3	505	carbon adj fibers same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L4	0	carbon adj fibers and "6066922".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L5	0	carbon adj fiber and "6066922".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L6	0	carbon and fiber and "6066922".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L7	0	L3 and (precharge or pre-charge or precharged or precharging or pre-charging or pre-charged).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L8	2	"6645028".pn. "5973444".pn.	USPAT	OR	OFF	2006/04/03 08:35
L9	573	(precharge or pre-charge or precharged or precharging or pre-charging or pre-charged) and (fed or field adj emission near3 display).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35

EAST Search History

L10	66	((overdriven or over-driven or overdrive or over-drive) and (fed or field adj emission near3 display)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L11	0	((overdriven or over-driven or overdrive or over-drive) and (fed with display or field adj emission near3 display)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L12	5	(overdriven or over-driven or overdrive or over-drive) same (fed with display or field adj emission near3 display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L13	71	(overdriven or over-driven or overdrive or over-drive) and (fed with display or field adj emission near3 display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L14	24	(voltage with (higher or lower or greater) with (driving or drive) and field adj emission near3 display).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L15	2	("5537007").URPN.	USPAT	OR	OFF	2006/04/03 08:35
L16	5	("4427266" "5404081" "5519414" "5537007" "5627556").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/03 08:35
L17	12	voltage with (higher or lower or greater) with (driving or drive) and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L18	3	voltage with (higher or lower or smaller or greater) with cathode adj electrode with counter with (driving or drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35

EAST Search History

L19	8	voltage with (higher or lower or smaller or greater) with (driving or drive) same cathode adj electrode with counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L20	75	voltage with level with (different or higher or lower or smaller or greater) with (driving or drive) and field adj emission near3 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L21	74	"345"/\$.ccls. and I adj v adj characteristic	US-PGPUB; USPAT	OR	OFF	2006/04/03 08:35
L22	81	"345"/\$.ccls. and (I adj v or vI or Iv) adj characteristic	US-PGPUB; USPAT	OR	OFF	2006/04/03 08:35
L23	60	"345"/204-213,690-693,55-86.ccls. and (I adj v or vI or Iv) adj characteristic	US-PGPUB; USPAT	OR	OFF	2006/04/03 08:35
L24	1397	(apply or applying or applied) with maximum near5 voltage same (display or monitor or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L25	542	(apply or applying or applied) with maximum near5 voltage with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L26	101	(apply or applying or applied) with (drive or driving) near5 maximum near5 voltage with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L27	111	(apply or applying or applied) with (drive or driving) near3 maximum near5 voltage same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L28	11	(apply or applying or applied) with (drive or driving) near3 maximum near5 voltage same display and (EL or electroluminescent or field adj emission or fe or electron-emitting) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35

EAST Search History

L29	11	("5066883" "5426447" "5654607" "5686936" "5708454").PN. OR ("6184851").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/03 08:35
L30	104	(apply or applying or applied) with (drive or driving) near3 voltage same (field adj emission or fe or electron-emitting) near5 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L31	8	(apply or applying or applied) with (drive or driving) near3 voltage same (field adj emission or fe or electron-emitting) near5 display same maximum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L32	8	("20030057850" "5591061" "5998924" "6144350" "6149480" "6184851" "6231412").PN. OR ("6712660").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/03 08:35
L33	15	(US-20020175618-\$ or US-20040004588-\$ or US-20040183757-\$ or US-20050116601-\$).did. or (US-5537007-\$ or US-5589738-\$ or US-5591061-\$ or US-5627556-\$ or US-5814946-\$ or US-6066922-\$ or US-6184851-\$ or US-6490433-\$ or US-6712660-\$ or US-6794666-\$ or US-6864863-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/04/03 08:35
L34	3	L33 and carbon adj fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/03 08:35
L35	3	carbon adj fibers same nanotube and 445/3,6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
L36	9	(carbon adj fibers or carbon adj nanotube) and 445/3,6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35

EAST Search History

L37	1	(carbon adj fibers or carbon adj nanotube) same (high or higher or maximum or peak) with voltage and 445/3,6.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
-----	---	--	---	----	----	------------------